

# WellH@se<sup>®</sup>

Easy Drop Pipe

EASY DROP PIPE




# WellHose®

## Easy Drop Pipe

**WELLHOSE Easy Drop Pipe** replaces the rigid PVC and steel pipes used with submersible pumps.

With **WELLHOSE Easy Drop Pipe**, you can easily and quickly install and retrieve your submersible pumps without requiring heavy equipment.



**WELLHOSE**  
**Easy Drop Pipe**  
installation at  
work site



**WELLHOSE**  
**Easy Drop Pipe**  
simple installation  
done by hand

# WellHose®

Easy Drop Pipe

You can now also use our **Speedy BOLT** to lower your pump into the well.

The **Speedy BOLT** can run off a 120V socket in the wall or a 2kw generator. Just roll your **WELLHOSE Easy Drop Pipe** onto the **Speedy BOLT** and drive to the well.



You can strap the power cable as you lower the **WELLHOSE** into the well

**Speedy BOLT**  
residential  
installation



# WellHose®

## Easy Drop Pipe

- Easy to install and retrieve your submersible pump
- Cut to suit your exact pump setting
- Ideal for domestic or remote areas
- 10 Year Manufacturer Warranty
- Great in all weather conditions
- Available as a Plug and Play package



### Specifications

NORMAL SIZE	1"	1.25"	1.5"	2"	2.5"	3"	4"
DIAMETER OF WELLHOSE	25 mm	32 mm	38 mm	50 mm	65 mm	76 mm	102 mm
MAX DEPTH SETTING	330 ft 100 m	330 ft 100 m	300 ft 90 m	300 ft 90 m	250 ft 75 m	250 ft 75 m	200 ft 60 m
WEIGHT OF WELLHOSE	0.14 lb/ft 0.20 kg/m	0.17 lb/ft 0.26 kg/m	0.20 lb/ft 0.32 kg/m	0.34 lb/ft 0.53 kg/m	0.53 lb/ft 0.82 kg/m	0.60 lb/ft 0.94 kg/m	0.86 lb/ft 1.35 kg/m
WEIGHT OF WATER	0.4 lb/ft 0.6 kg/m	0.9 lb/ft 1.3 kg/m	1.4 lb/ft 2.0 kg/m	1.6 lb/ft 3.0 kg/m	2.6 lb/ft 4.0 kg/m	3.5 lb/ft 6.0 kg/m	6.2 lb/ft 10 kg/m
TORQUE SETTINGS	5 Nm 4 ft.lb	7 Nm 5 ft.lb	7 Nm 5 ft.lb	11 Nm 8 ft.lb	14 Nm 10 ft.lb	16 Nm 12 ft.lb	20 Nm 15 ft.lb

*This product is not for use with contaminated water without prior written approval.*

**WELLHOSE Easy Drop Pipe** - Keeping it simple

**Supplied By:**

Sales@HoseSolutions.com  
HoseSolutions.com

9419 E. San Salvador Dr. #104  
Scottsdale, AZ 85258 USA  
+1 (480) 607-1507

**HoseSolutions Inc**

Ref: 01/30/24